Natural Resources Inventory and Assessment

February 1998



John H. Chafee

BLACKSTONE RIVER VALLEY



National Heritage Corridor Commission

APPENDIX A

LISTED SPECIES

Below are rare species of plants and animals in the Blackstone River Valley National Heritage Corridor listed by the states of Massachusetts and Rhode Island. With the exception of transient peregrine falcons, there are no Federally-listed species in the Corridor.

| | | Status | | |
|----------------------|-----------------------------|--------|----|----|
| Group | Common Name | MA | RI | |
| Vertebrates | | | | |
| Fish | American Brook Lamprey | T | | SC |
| Amphibians | Jefferson Salamander | S | С | |
| • | Blue-spotted Salamander | S | С | |
| | Marbled Salamander | T | | + |
| | Spring Salamander | S | С | SC |
| | Four-toed Salamander | S | С | + |
| Reptiles | Blanding's Turtle | T | | |
| • | Spotted Turtle | S | С | + |
| | Wood Turtle | S | С | SC |
| | Eastern Box Turtle | S | С | + |
| | Worm Snake | T | | SC |
| | Hognose Snake | + | | SC |
| | Timber Rattlesnake | E | | |
| Birds (nesting only) | American Bittern | S | С | Н |
| | Least Bittern | T | | SC |
| | Great Blue Heron | W | /L | SC |
| | Cooper's Hawk | S | C | SC |
| | Common Nighthawk | + | | SC |
| | Northern Goshawk | | | SC |
| | Sharp-shinned Hawk | S | С | |
| | Sora | + | | SC |
| | Northern Saw-whet Owl | | | SC |
| | Pileated Woodpecker | + | | SC |
| | Acadian Flycatcher | | | SC |
| | Winter Wren | + | | SC |
| | Marsh Wren | + | | SC |
| | Golden-winged Warbler | Е | | Н |
| | Black-throated Blue Warbler | + | | T |
| | Blackblurnian Warbler | | | T |
| | Worm-eating Warbler | | | SC |
| | Grasshopper Sparrow | T | | |
| | White-throated Sparrow | + | | SC |
| | Henslow's Sparrow | E | | |

| | Dark-eyed Junco | | + | | SC | |
|-----------------------|-----------------------------|---|----|----|-----|---|
| | Upland Sandpiper | | E | | | |
| Mammals | Smoky Shrew | | + | | SC | |
| TVIAITITIATS | Water Shrew | | SC | | SC | |
| | Southern Bog Lemming | | SC | | SC | |
| | Fisher | | + | | SC | |
| | Hoary Bat | | WL | | БС | |
| | Indiana Myotis | | E | | | |
| | indiana iviyotis | | L | | | |
| Invertebrates | | | | | | |
| Dragonflies | Ringed Boghaunter | | Е | | SC | |
| Beetles | Twelve-spotted Tiger Beetle | | SC | | + | |
| Beetles | Red-bellied Tiger Beetle | T | БС | SC | | |
| | rea semed riger beene | | | 50 | | |
| Butterflies and Moths | Bog Copper | | + | | SC | |
| | Acadian Hairstreak | | + | | SC | |
| | Hickory Hairstreak | | + | | SC | |
| | Hessel's Hairstreak | | SC | | SC | |
| | Frosted Elfin | | + | | SC | |
| | Northern Pearly Eye | | + | | SC | |
| PLANTS | | | | | | |
| | | | | | | - |
| Ferns and Fern Allies | Mountain Spleenwort | | E | | E | |
| | Walking Fern | | | | E | |
| | Maidenhair Spleenwort | | + | | SC | |
| | Water Horsetail | | + | | SC | |
| | Woodland Horsetail | | + | | SC | |
| | Ostrich Fern | | + | | SC | |
| | River Quillwort | | + | | SC | |
| | Stiff Clubmoss | | + | | E | |
| | Triangle Grapefern | | + | | SC | |
| | Daiseyleaf Grapefern | | + | | SC | |
| | Dwarf Grapefern | | + | | SC | |
| | Purple Cliff-brake | | ~~ | | E | |
| | Climbing Fern | | SC | | SC | |
| Gymnosperms | Ground Hemlock | | + | | SC | |
| Cymmosp • mis | American Larch | | | + | 20 | T |
| | Black Spruce | | + | | SC | |
| 1 | | | | | 0.0 | |
| Anglosperms | Striped Maple | | + | | SC | |
| | Honewort | | + | | SC | |
| | Golden Alexanders | | + | | SC | |
| | Spikenard | | + | | SC | |
| | American Ginseng | | SC | | E | |
| | Purple Milkweed | | T | | SC | |
| | Whorled Milkweed | | T | | SC | |

| Large-leaved Aster | + | SC |
|------------------------------|----|----|
| Lion's Foot | E | SC |
| Sclerolepis | E | E |
| Blue Cohosh | + | T |
| Feverwort | E | SC |
| Hobblebush | + | SC |
| Golden Heather | + | SC |
| Round-leaved Dogwood | + | SC |
| Piled Sedge | + | SC |
| Bog Sedge | + | SC |
| Log-stalked Sedge | + | T |
| Variable Sedge | E | E |
| Horsetail Spike-rush | | SC |
| Inundated Horned-rush | | E |
| Bog Rosemary | + | E |
| Creeping Snowberry | + | T |
| Pale Laurel | + | T |
| Spreading Tick-trefoil | E | |
| Wild Lupino | + | SC |
| Pale Corydalis | + | SC |
| Bicknell's Geranium | + | SC |
| American Pennyroyal | + | SC |
| Colicroot | + | SC |
| Zigzag Bladderwort | + | T |
| Rose-twisted Stalk | + | T |
| Canada Lily | + | T |
| Black Ash | + | SC |
| Small Enchanter's Nightshade | + | SC |
| Showy Orchid | + | SC |
| Lily-leaved Twayblade | + | T |
| Northern Green Orchid | + | T |
| Small Purple Fringed Orchid | + | SC |
| Spring Ladies'-tresses | SC | SC |
| Squaw-root | + | SC |
| Bloodroot | + | SC |
| Featherfoil | + | SC |
| One-sided Pyrola | + | SC |
| Red Baneberry | + | SC |
| Long-fruited Anemone | + | SC |
| Hepatica | + | SC |
| Yellow Water-crowfoot | + | SC |
| | + | |
| Dewdrop | | Е |
| Podgrass | T | E |
| Tall White Beardtongue | + | SC |
| Early Saxifrage | + | SC |
| Swamp Saxifrage | + | SC |
| Slippery Elm | + | SC |
| Palmate-leaved Violet | + | T |
| Round-leaved Yellow Violet | + | SC |
| Dwarf Mistletoe | + | E |
| Northern Yellow-eyed Grass | + | SC |
| | | |

Key E = Endangered; T = Threatened; SC = Special Concern; WL = on Watch List; H = Historic += present in state but not listed as rare blank space indicates not present in Blackstone Corridor

Additional species of invertebrates and plants listed by the Massachusetts Natural Heritage & Endangered Species Program

| COMMON NAME | Last Observed | STATUS IN MA | |
|------------------------------|---------------|--------------|--|
| Invertebrates | | | |
| Mystic Valley Amphipod | 1989 | SC | |
| Purple Tiger Beetle | 0000 | SC | |
| Hessel's Hairstreak | 1987 | SC* | |
| Imperial Moth | 1934-Pre | SC | |
| Northern Hairstreak | 1992 | SC | |
| Regal Fritillary | 1934-Pre | E | |
| Triangle Floater | 1974 | SC | |
| Smooth Branched Sponge | 1989 | SC | |
| PLANTS | | | |
| Purple Milkweed | 1954 | T* | |
| Sclerolepis | 1981 | E* | |
| Northern Wild Comfrey | 1879 | Н | |
| Climbing Fumitory | 1938 | T | |
| Broad Waterleaf | 1934 | E | |
| Pondshore Knotweed | 1934 | SC | |
| Purple Clematis | 1940-Pre | SC | |
| Hairy Beardtongue | 1890 | E | |
| Indian Paintbrush | 1940-Pre | Н | |
| Sandplain Gerardia | 1944 | E | |
| Swamp Lousewort | 1940 | E | |
| Pappilose Nut-Sedge | 1989 | E | |
| Shore Sedge | 1933 | T | |
| Slender Cottongrass | 1988 | T | |
| Tall Nut-Sedge | 1986 | E | |
| Arethusa | 1935 | T | |
| Grass-Leaved Ladies'-Tresses | 1993 | SC | |
| Large Whorled Pogonia | 1964 | WL | |
| Orange Fringed Orchis | 1934 | Н | |
| Pale Green Orchis | 1939 | T | |
| Philadelphia Panic-Grass | 1990 | SC | |
| Small Bur-Reed | 1865 | E | |
| Lake Quilwort | 1922 | E | |
| Adder's-Tongue Fern | 1933 | T | |
| Climbing Fern | 1995 | SC* | |

^{*}Also listed in Rhode Island

Freshwater Swollen Wedgemussel – candidate for Federal listing – recorded from

Mussels Blackstone River, Canal Falls (1897). Unknown after this date.

Fish Several species of anadromous fish eliminated from the Blackstone River by the

construction of dams, all before 1900.

Amphibians Eastern Spadefoot

(MA: never recorded in Blackstone Valley; RI: Providence – 1906)

Reptiles Timber Rattlesnake: although likely present in the Blackstone Valley

historically, extinct from region prior to 1900.

Birds (nesting) Pied-billed Grebe (MA – last date not known; RI: Pawtucket – 1917)

American Bittern (MA: may still be present; RI: Lincoln – 1970s;)
Sharp-shinned Hawk (MA – last date not known; RI: Smithfield – 1911)
Cliff Swallow (MA – last date not known; RI: Cumberland – 1940)
Golden-winged Warbler (MA – may still be present; RI: Lincoln – 1956)
Yellow-breasted Chat (MA: Leicester – 1974; RI: Lincoln – 1936)
Vesper Sparrow (MA: last date not known; RI: Glocester – 1946)

Honslow's Sparrow (MA: Leicester – 1974; RI: not in Blackstone Valley)

Plants Sandplain Gerardia – Federally Endangered Species still present in southeast

MA and RI; last recorded in Blackstone Valley as follows: MA: Douglas – 1944;

RI: Cumberland – 1941)

In Rhode Island, the following plant species have been lost from the Corridor area since 1840. (plants with * are extinct from the entire state of Rhode Island)

Adder's-tongue (Burrillville – 1975)

Rusty Woodsia (Cumberland – 1977)*

Yellow Pimpernel (Smithfield – 1886)*

Aromatic Snakeroot (Cumberland - 1946)*

Pink Tickseed (Lincoln – 1900)

Purple Cudweed (Smithfield – 1844)*

False Grumwell (Providence – 1886)

Drummond's Rock-cress (Cumberland – 1931)*

Carolina Whitlow-grass (Providence – 1902)*

Water Lobelia (Cumberland – 1895)

Twinflower (Lincoln-1923)*

Red-berried Elderberry (Cumberland – 1931)*

Creeping St. John's-wort (Cumberland – 1914)

Burreed-like Sedge (Cumberland – 1948)*

Hare's Tail (Glocester - 1904)*

Umbrella Grass (Providence – 1846)*

Tiny-flowered Sedge (Providence – 1892)

Northern Cotton-grass (Cumberland – 1907)*

Long-beaked Bald Rush (Lincoln – 1872)

Reticulated Nut-rush (Smithfield – 1866)

Rattlebox (Providence – 1902)

Wild Senna (Smithfield - 1870)*

Goat's Rue (Cumberland – 1978)

Andrew's Closed Gentian (Glocester - 1915)*

Fringed Gentian (Cumberland – 1978)

Weak Rush (Lincoln – 1906)

Purple Trillium (Glocester – 1971)

Grooved Flax (Providence – 1844)

Green Adder's Mouth (Burrillville – 1980)*

 $White-fringed\ Orchid\ \ (Providence-1900)$

Orange-fringed Orchid (Providence – 1971)

Hooker's Orchid (Cumberland – 1885)

Round-leaved Orchid (Burrillville – 1971)

Large Round-leaved Orchid (Glocester – 1973)

Shining Ladies'-tresses (Lincoln – 1960)*

Indian Grass (Lincoln – 1921)

Riverweed (Smithfield - 1894)*

Hairy Agrimony (Lincoln —1913)*

Hairy Herb-Bennet (Lincoln – 1921)*

Grass-of-Parnassus (Lincoln - 1985)*

Painted-cup (Lincoln - 1879)*